

# PROJECT 10073 RECORD CARD

1. DATE 28 Feb 59		2. LOCATION Belair, N.Y.		12. CONCLUSIONS <input type="checkbox"/> Was Balloon <input type="checkbox"/> Probably Balloon <input type="checkbox"/> Possibly Balloon  <input type="checkbox"/> Was Aircraft <input type="checkbox"/> Probably Aircraft <input type="checkbox"/> Possibly Aircraft  <input type="checkbox"/> Was Astronomical <input type="checkbox"/> Probably Astronomical <input type="checkbox"/> Possibly Astronomical  <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Insufficient Data for Evaluation <input type="checkbox"/> Unknown	
3. DATE-TIME GROUP Local _____ GMT 01/0355Z Mar 59		4. TYPE OF OBSERVATION <input checked="" type="checkbox"/> Ground-Visual <input type="checkbox"/> Ground-Radar <input type="checkbox"/> Air-Visual <input type="checkbox"/> Air-Intercept Radar			
5. PHOTOS <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6. SOURCE Civilian			
7. LENGTH OF OBSERVATION 2-3 secs		8. NUMBER OF OBJECTS one		9. COURSE North	
10. BRIEF SUMMARY OF SIGHTING Big blue flashing light passed directly overhead at 90° angle.				11. COMMENTS Light could have been a spotlight. However, there is not sufficient information to form a valid conclusion/	



tion—W. J. D. Escher and R. W. Foster—*Naval Res. Lab. (Office of Technical Services)*, 15 p., illus., 75¢. Includes master sequence diagram.

THE PROPERTIES AND STRUCTURE OF MATTER: Part 1—Lewis Pokras—*Macmillan*, 580 p., illus., paper, \$5. Experimental college textbook of fundamental chemistry with stress on more independent study by the student.

RIVERS IN THE DESERT: A History of the Negev—Nelson Glueck—*Farar, Straus*, 302 p., illus., \$6.50. Archaeological exploration of the southern half of Israel, the site of trade routes and civilizations since the 4th millennium B.C.

SCALE-UP IN PRACTICE—Richard Fleming, Ed.—*Reinhold*, 134 p., \$4.50. Based on an "Experience in Industry" symposium jointly sponsored by Philadelphia-Wilmington Section of the American Institute of Chemical Engineers and the University of Pennsylvania.

THE SOCIAL IMPACT OF BOMB DESTRUCTION—Fred Charles Iklé—*Univ. of Okla. Press*, 250 pp., illus., \$3.95. Findings of the effects of bombing on the functioning of society, based on extensive analysis of World War II data from Germany, Japan, Poland, and other countries.

STELLAR POPULATIONS—D. J. K. O'Connell, Ed.—*Interscience*, 544 p., illus., \$10. Proceedings of the Conference sponsored by the Pontifical Academy of Science and the Vatican Observatory, 1957.

THE STORY OF THE DINOSAURS: A Guidebook for Young Scientists—Stanley B. Brown and Barbara M. Brown, reviewed for scientific accuracy by Mary E. Patsuris—*Harvey House*, 135 p., illus. by Don Bolognese, \$2.95. Accurate information in simple language abundantly illustrated.

STUDIES ON THE STRUCTURE AND DEVELOPMENT OF VERTEBRATES, Vols. I and II—Edwin S. Goodrich—*Dover*, 837 p., illus., 2 vols., paper \$5. Unabridged reprint of original one-volume edition published in 1930.

A SYMPOSIUM ON THE CHEMICAL BASIS OF DEVELOPMENT—William D. McElroy and Bentley Glass, Eds.—*John Hopkins Press*, 934 p., illus., \$15. Papers on developmental cytology, cellular and tissue interactions in development, problems of specificity in growth and development and on control mechanism in development.

SYNTHETIC METHODS OF ORGANIC CHEMISTRY: Yearbook Vol. XII—W. Theilheimer—*Interscience*, 546 p., \$22.50. Reports on new trends in the synthesis of organic compounds and improvements of known methods published between 1955 and 1957. Includes German Register-Schlüssel of volumes I-XII.

A TEXT-BOOK OF ORGANIC CHEMISTRY: Historical, Structural & Economic—John Read and F. D. Gunstone—*Bell, G.*, 4th rev. ed., 610 p., illus., \$5.25. Includes discussions of modern theories of organic chemical structure, reactivity and reaction mechanism.

THE THEORY OF THE POTENTIAL—William Duncan MacMillan—*Dover*, 469 p., paper, \$2.25. Unabridged reprint of first edition in 1930.

THREE MILES DEEP: The Story of the Transatlantic Cables—John Merrett—*Hamilton, H.*, 191 p., illus., \$1.90. A cable-man's story of how the 2,400-mile-long submarine telegraph cables were laid which established rapid communication between Europe and America a hundred years ago.

3 REPORTS OF SUMMER CONFERENCES FOR SCIENCE TEACHERS: Teacher Demonstrations in Chemistry, The Science Teacher as a Career Counselor, and Teaching for Critical Thinking in Chemistry—*National Science Teachers Assn.*, 32 p., illus., paper, \$1.



①  
ATIC

2 MAR 59 08 06

MAR 1 15 42 '59

TELEPHONED  
TO OD  
NO. 7222  
TIME 1045 AM  
Date 1 MAR  
BY MC

NNNN

RC020

OCZCSQA695ZCSJA029

OO RJEDSQ

DE RJEDSJ 3

O 010630Z ZEX

FM COMDR 2500TH AB GP

TO RJWFAL/COMDR ADC

RJEDSQ/COMDR AIR TECH INTEL CTR

RJEZHQ/ACS INTEL HQ USAF

RJEZHQ/OIS HQ USAF

BT

UNCLASSIFIED FROM BASE OPS MTL 001-03. UFO. FOLLOWING INFORMATION  
FURNISHED IN ACCORDANCE WITH AFR 200-2, 5 FEBRUARY 1958, ON UFOB  
RECEIVED:

A. (1) BIG BLUE LIGHT

(2) FLASHING BLUE LIGHT

(3) BLUE

(4) ONE

(5) NONE

(6) NONE

(7) FLASH

14E4  
3 14K2V

FORM 100-10 (Rev. 1-58) PREPARED BY THE STANDARD ELECTRIC CO., DAYTON, OHIO, U. S. A. STATIONER 100-10



PAGE TWO RJEDSJ 3

(8) NONE

(9) BRIGHT FLASH

B. (1) FLASH IN SKY

(2) DIRECTLY OVERHEAD

(3) 90 DEGREE ANGLE

(4) PASSED DIRECTLY OVER HEAD

(5) TO THE NORTH FAST

(6) 2 OR 3 SECONDS

C. (1) GROUND VISUAL

(2) NONE

(3) NONE

D. (1) 1, MAR. 1959 2355Z

(2) NIGHT

E. (1) BELLAIRE NY IS MI FROM MITCHEL AFB NY

F. (1) D [REDACTED] BELLAIRE NY.

(2) NONE

G. (1) CLEAR CALM

(2) 270/10 260/15 250/25 272/40 210/90 260/15

(3) CLEAR

(4) 10 MI

PAGE THREE RJEDSJ 3

(5) CLEAR



H. .... NONE

I. NONE

J. NONE

K. AIRDROME OFFICER---COULD POSSIBLE BE THE FLASH OF PREMIER LIGHT

L. (1) NONE

BT

01/1440Z MAR RJEDSJ

NNNN

~~REDACTED~~ Delaire, n. 24.

~~REDACTED~~

~~REDACTED~~ ~~REDACTED~~

~~REDACTED~~

~~REDACTED~~



## JOINT MESSAGEFORM.

SECURITY CLASSIFICATION

UNCLASSIFIED

SPACE BELOW RESERVED FOR COMMUNICATION CENTER

MAR 6 17 56 '59

SUB/5B  
06/1930 Z

PRECEDENCE	TYPE MSG (Check)	ACCOUNTING SYMBOL	ORIG. OR REFERS TO	CLASSIFICATION OF REFERENCE
ACTION ROUTINE	BOOK MULTI SINGLE	AF	MTL 001-03	UNCL
INFO				

FROM:

COMDR, ATIC

SPECIAL INSTRUCTIONS

TO:

COMDR, 2500TH AB GP, MITCHEL AFB, N. Y. R J e d s T

/UNCLASSIFIED/FROM: AFCIN-4E4 3-411-E

REF MSG BASE OPS MTL 001-03, REPORTING A FLASHING LIGHT OVER BELAIRE, N. Y. THE INFO SUBMITTED IS VERY LIMITED IN NATURE AND CANNOT BE EVALUATED. REQ AN INVESTIGATION IN ACCORDANCE WITH AFR 200-2. THE FOLLOWING INFO IS REQUESTED IN ADDITION TO ANY OTHER PERTINENT INFO. WHAT WAS THE ELEVATION AND AZIMUTH OF OBJECT WHEN FIRST AND LAST OBSERVED, IN DEGREES? WHERE IS BELAIRE, N. Y. LOCATED? WHERE WAS THE PREMIER LIGHT YOU REFERENCE LOCATED?

COORDINATION:

AFCIN-4E4 R. B. Glaser DATE 5 Mar 59  
Col. GlaserAFCIN-4E H. K. Gilbert DATE 1 Mar  
Col. Gilbert

DATE	TIME
5	1245
MONTH	YEAR
MAR	1959

SYMBOL	SIGNATURE
AFCIN-4E4 <u>Robert J. Friend</u>	<u>L. J. Harrell</u>
TYPED NAME AND TITLE (Signature, if required)	TYPED (or stamped) NAME AND TITLE
Maj. Robert J. Friend	LOUIS J HARRELL
PHONE 6-9216	Captain, USAF Assistant Administrative Officer
PAGE 1 NR. OF 1	
SECURITY CLASSIFICATION	
UNCLASSIFIED	



ATIC

NNNN

F127

ZCSQC983ZCSJA090

OO RJEDSQ

DE RJEDSJ 120

O 101700Z

FM COMDR 2500TH ABG

TO COMDR AIR TECH INTEL CTR

BT

UNCLASSIFIED FROM BASE OPS MTL 157-03, UFO.

REF YOUR MSG AFCIN-4E4 3-411-E. UNABLE TO CONTACT PERSON

WHO REPORTED SIGHTING OF UFO. LOCATION OF BELAIRE NY

IS APPROXIMATELY 15 MILES WEST OF MITCHEL AFB, COORDINATES

73-45W 40-43N. AIRDROME OFFICER STATED THAT THERE WAS A

POSSIBILITY OF SIGHTING PREMEIR LIGHTS WHICH ARE FREQUENTLY

USED THROUGHOUT THE AREA FOR ADVERTIZING PURPOSES.

BT

10/2052Z MAR RJEDSJ

11 MAR 59 08 15

W

1400 → 24E4  
3  
44X2A2

(originated by Maj Friend)



## ASTRONOMY

# Venus Brightens

Mars will fade in February skies as it travels farther from the earth. Meanwhile, the planet Venus can be seen in the southwest until about two hours after sunset.

By JAMES STOKLEY

► MARS is drawing farther away and rapidly fading. Now Venus is increasingly prominent. It can be seen low in the southwest on February evenings until about two hours after sunset.

It is in the direction of the constellation of Aquarius, the water carrier. This, however, is a rather inconspicuous group of stars that will be much harder to see than Venus itself. During February, Venus shines with a brilliance about 20 times that of a typical first magnitude star, such as Pollux, seen high in the south in Gemini, the twins. Thus, there is no difficulty in locating Venus, if the southwestern sky is clear.

Venus is not shown on the accompanying maps, as these depict the sky at a later hour: 10:00 p.m., your own standard time, at the first of February, 9:00 p.m., at the middle of the month and 8:00 p.m. at the end. Mars appears on them, however, as it is in Taurus, the bull, high in the southwest. It stands just to the left of the little cluster of fainter stars called the Pleiades. These are sometimes called the "seven sisters," although it takes a keen eye to see more than six without some sort of optical aid, such as a telescope, or binoculars.

Mars, at the middle of February, will be about 75% brighter than Pollux, but this is less than one-tenth of what it was last November, when it made an unusually close approach to the earth.

## Sirius is Brighter

Even brighter, however, is the star called Sirius. This is the "dog-star," in Canis Major, the great dog, in the south. Directly above this group is the faint constellation of Monoceros, the unicorn. Canis Minor, the lesser dog, is just above that; in it is another first-magnitude star, Procyon. Going upwards another step, is Gemini, in which Pollux stands. Castor, the other twin, is represented by the fainter star (which is second magnitude) a little above and to the right.

Taurus, which is the present location of Mars, is shown high in the southwest. It also contains a star of the first magnitude, Aldebaran, the eye of the bull. Above this is Auriga, the charioteer. Capella is the name of its bright star. On the maps, Auriga is divided; part of it appears on the southern map and the rest, with Capella, on the northern.

Orion, the warrior, the most brilliant of all the constellations, is between Taurus and Canis Major. It is the only star group to contain two first magnitude stars. One is Betelgeuse, above, and Rigel, below. Between these is a row of three stars, each a

little fainter, which form Orion's belt. This feature makes it rather easy to identify.

Leo, the lion, is high in the east. In it is another bright star, Regulus. Left of Leo, is the well-known great dipper, which is part of Ursa Major, the great bear. Ursa Minor, the lesser bear, is still farther to the left, directly north. One member of this group is Polaris, the pole star, which is overhead at the north pole of the earth.

Although Venus and Mars are the only planets presently visible to the naked eye in the evening, two others appear after midnight. The first, rising in the east about 2:00 a.m., is Jupiter, in Scorpius, the scorpion. While only about one-fifth as bright as Venus, it is many times brighter than any other planet, or any star. A few hours later it is followed by Saturn, which is in Sagittarius, the archer. This planet is now about the same brightness as Mars. Mercury will not be visible at all during February, for it is too nearly in the same direction as the sun. In fact, it passes behind the sun on St. Valentine's day. The astronomer calls this "superior conjunction."

With rockets being fired at earth's one natural satellite—the moon—that body has been attracting a lot of attention in recent months. In the past, the moon has been



largely neglected by professional astronomers, who have been more interested in studying the far more distant stars and galaxies. But now, as the time when men may actually be placed there draws closer, some large telescopes have been turned on it, and new data are being collected.

One of the most striking recent developments has been the discovery, by a Russian astronomer, Dr. N. A. Kozyrev of the Crimean Astrophysical Observatory, of what appears to be an active volcano on the moon.

## Moon Volcano

He used a reflecting telescope, like those at Mt. Wilson and Mt. Palomar in California. Unlike the more familiar reflector, where a lens focuses the light rays from the distant object on a photographic film, or into an eyepiece through which the observer looks, this uses a dished mirror to perform the same function. This mirror, at the Russian observatory, is 50 inches in diameter, although only a quarter of the diameter of the "big eye" at Palomar, the largest in the world.

As described recently in a British weekly, *The New Scientist*, by Dr. Zdenek Kopal of the University of Manchester, it was in the early morning hours of Nov. 4, 1958, with the moon two days before the phase of last quarter, that Dr. Kozyrev was studying the region of the lunar crater called Alphonsus. There is a prominent



• • • SYMBOLS FOR STARS IN ORDER OF BRIGHTNESS



peak 80 miles wide in the center of this circular mountain. He was watching this intently to keep the telescope accurately pointed for 30 minutes, from 2:30 to 3:00, while he made a spectroscopic exposure. The light from the region being examined passes through a narrow slit, then through a combination of lenses and prisms. The result is a spectrum, which shows the distribution of light of various wavelengths. Ordinarily, the light from the moon shows a spectrum similar to that of the light from the sun, and crossed by similar dark lines. The light of the moon is reflected sunlight.

But, as Dr. Kozyrev watched the central peak of Alphonsus, he noticed that it became unaccountably blurred by some sort of reddish cloud. The spectrogram, when he developed the plate, was very different from what he expected. Instead of the series of well-defined lines, each due to some element in the sun's atmosphere that normally appear, there was a series of bands, called Swan bands, that showed the presence of carbon atoms, paired to form molecules. These do not appear in the sun. Another spectrogram, made between 3:00 and 3:30 a.m., showed only the customary lines.

It seems, according to Dr. Kopal, that these carbon molecules, that appeared so briefly over the central peak, were produced in some way by the breakdown of more complicated molecules. This requires considerably more heat than that of the sun's rays. There must have been some source of heat nearby, perhaps under the lunar surface, just before the appearance of the cloud Dr. Kozyrev observed.

This, of course, was very similar to a volcanic eruption on the earth, so it is the first good evidence that there is some such activity on the moon. Perhaps it is not the completely dead world that many have assumed it to be.

Scientists are eagerly awaiting the time when, with more and better rockets, they can make closeup observations. Then they may find the answers to some of their questions.

### Celestial Time Table for February

Feb. EST

- 1 2:56 a.m. Algol (variable star in Perseus) at minimum brightness.
- 7:32 p.m. Moon passes Jupiter.
- 3 11:45 p.m. Algol at minimum.
- 4 7:13 a.m. Moon passes Saturn.
- 6 8:35 p.m. Algol at minimum.
- 7 2:22 p.m. New moon.
- 9 5:24 p.m. Algol at minimum.
- 13 midnight Mercury on opposite side of sun from earth.
- 14 9:00 a.m. Moon farthest, distance 251,300 miles.
- 15 2:20 p.m. Moon in first quarter.
- 16 12:19 p.m. Moon passes Mars.
- 23 3:54 a.m. Full moon.
- 24 1:31 a.m. Algol at minimum.
- 26 5:00 a.m. Moon nearest, distance 227,400 miles.
- 10:20 p.m. Algol at minimum.

Subtract one hour for CST, two hours for MST, and three for PST.

Science News Letter, January 24, 1959